

MESOSCOPIC NANOELECTRONICS

Lecture notes for the course Tfy-3.491

Fall 2007

Tero Heikkilä

Compiled on June 23, 2008

The most recent update of this text can be downloaded at
<http://ltl.tkk.fi/ttheikki/notes/nanoelectronicsfall07.pdf>. Use the account "nano"
and the password "elektroni". To report errors, go to
<http://ltl.tkk.fi/ttheikki/notes/>

Contents

1	Introduction	1
1.1	Studied systems	2
1.2	Free fermions in metals vs. massless Dirac fermions in graphene .	6
1.2.1	”Free” fermions in metals	6
1.2.2	Massless Dirac fermions in graphene	7
1.3	Classical vs. quantum transport	10
1.3.1	Drude formula and Einstein relation	11
1.3.2	Quantum effects	12
1.4	Second quantization: short introduction	15
1.4.1	Bosons	15
1.4.2	Fermions	16
1.5	Heisenberg vs. Schrödinger pictures	17
1.6	Problems	17
2	Semiclassical Boltzmann theory	19
2.1	Semiclassical Boltzmann equation	22
2.2	Observables	23
2.3	Elastic scattering and diffusive limit	24
2.3.1	Currents in the diffusive limit	27
2.4	Inelastic scattering	28
2.4.1	Relaxation time approach	29
2.4.2	Electron-electron scattering	30
2.4.3	Electron-phonon scattering	31
2.5	Junctions	32
2.6	Thermoelectric effects	33
2.7	Problems	34
3	Scattering approach	37
3.1	Scattering region, leads and reservoirs	37
3.1.1	Transverse modes in semi-infinite leads	38
3.1.2	Current carried by a transverse mode	40
3.1.3	Wire between two reservoirs	41
3.1.4	Quantum point contacts	42
3.2	Scattering matrix	45

3.2.1	Some properties of the scattering matrix	46
3.2.2	Combining scattering matrices	48
3.3	Current from scattering	49
3.4	Examples	51
3.4.1	Voltage probe	51
3.4.2	Two-probe vs. four-probe setup	51
3.4.3	Resonant tunneling	52
3.4.4	Diffusive wire and Drude formula	53
3.5	Models for inelastic scattering and dephasing	53
3.6	Calculating the scattering matrix (**).	54
3.7	Problems	56
4	Interference effects	59
4.1	Aharonov-Bohm effect	60
4.2	Localization	61
4.2.1	Weak localization	64
4.2.2	Weak localization from enhanced backscattering	64
4.2.3	Microscopic calculation with Green's-function techniques (**).	66
4.2.4	Dephasing	67
4.2.5	Magnetic field effect	68
4.2.6	Interaction contribution (**).	69
4.2.7	Strong localization (**).	70
4.3	Universal conductance fluctuations	71
4.3.1	Effect of dephasing	73
4.4	Problems	74
5	Single-electron tunneling and Coulomb blockade	76
5.1	Charging energy	76
5.1.1	Single-electron box	78
5.1.2	Single-electron transistor (SET)	80
5.2	Tunnel Hamiltonian and tunneling rates	81
5.3	Master equation	83
5.4	Higher-order effects	85
5.5	Dynamical Coulomb blockade	88
5.5.1	Phase fluctuations	90
5.5.2	Example: resistive environment	91
5.6	Other single-electron devices	92
5.6.1	Coulomb blockade thermometer	92
5.6.2	Radio frequency SET	94
5.6.3	Single electron pump	95
5.7	Problems	97

6 Quantum dots	99
6.1 Anderson Hamiltonian	100
6.1.1 Spectral function	101
6.2 Weakly interacting limit	103
6.3 Weakly transmitting limit: Coulomb blockade	105
6.3.1 Metallic limit	108
6.3.2 Two-state limit	109
6.3.3 Addition spectrum	109
6.4 Kondo effect	110
6.5 Problems	115
7 Introduction to superconductivity	116
7.1 Cooper pairing	116
7.2 Main physical properties	117
7.2.1 Current without dissipation	117
7.2.2 Meissner effect	118
7.2.3 BCS theory briefly	119
7.2.4 Energy gap and BCS divergence	121
7.2.5 Coherence length	122
7.3 Josephson effect	122
7.4 Main phenomena characteristic for mesoscopic systems	124
7.4.1 Andreev reflection	125
7.4.2 Proximity effect	126
7.5 Problems	128
8 Superconducting junctions	129
8.1 Tunnel contacts without Josephson coupling	130
8.1.1 NIS contact	130
8.1.2 SIS contact	131
8.1.3 Superconducting SET	131
8.2 SINIS heat transport and pumping	136
8.2.1 Thermometry with (SI)NIS junctions	139
8.2.2 Brownian refrigeration	140
8.2.3 Electronic refrigerator with charging effects	140
8.2.4 Accurate charge pumping with SINIS devices	142
8.3 Josephson junctions	143
8.3.1 SQUIDs	144
8.3.2 Resistively and capacitively shunted junction model	145
8.3.3 Overdamped regime	146
8.3.4 Underdamped regime	147
8.3.5 Escape process	148
8.3.6 Quantum effects in small junctions	149
8.3.7 "Tight-binding limit"	150
8.3.8 "Nearly free-electron limit"	151
8.3.9 Dynamic capacitance	153
8.4 Problems	153

9 Fluctuations and correlations	155
9.1 Definition and main characteristics of noise	155
9.1.1 Motivations for the study of noise	157
9.1.2 Fluctuation-dissipation theorem	158
9.1.3 Thermal and quantum fluctuations	161
9.1.4 Shot noise	161
9.2 Scattering approach to noise	162
9.2.1 Two-terminal noise	163
9.3 Boltzmann-Langevin approach	165
9.3.1 Equation for the fluctuating distribution function	166
9.3.2 Correlator of the fluctuations	167
9.3.3 Fluctuations in a quasi-one-dimensional geometry	168
9.4 Langevin approach to noise in electric circuits	169
9.5 Cross correlations	170
9.5.1 Equilibrium correlations	171
9.5.2 Finite-voltage cross correlations	171
9.6 Full counting statistics	172
9.6.1 Basic statistics	173
9.6.2 FCS of charge transfer	174
9.7 Heat current noise	175
9.8 Problems	176
10 Dissipation in quantum mechanics	180
10.1 Relaxation	181
10.2 Dephasing	182
10.3 Explicit model for dissipation: Caldeira-Leggett model	185
10.4 Problems	187
11 Exotic properties of graphene	189
11.1 Klein paradox	190
11.2 Pseudodiffusion	193
11.3 Valleytronics	196
11.3.1 Zigzag ribbons	196
11.3.2 Valley filters and valves	197
12 Summary of the main mesoscopic effects	199
12.1 Main mesoscopic effects	199
12.1.1 Interference effects	200
12.1.2 Relaxation	200
12.1.3 Single-electron effects	200
12.1.4 Effects related to finite energy level spacing	201
12.1.5 Graphene: high-energy physics on a sheet of graphite . .	201
12.1.6 Mesoscopic superconductivity	202
12.1.7 Shot noise, correlations and statistics	202
12.2 Different theoretical models	204
12.2.1 Scattering theory	204

12.2.2 Boltzmann (-Langevin) theory	205
12.2.3 Master equation approaches	206
12.2.4 Linear response theory	206
12.3 Systems and effects not described in the course	207